



LISTA DE PRECIOS 2021

Grant Scientific



Productos para Laboratorio

Ref.	Descripción	PVR (€)
HEATED CIRCULATING BATHS - Please specify UK, Euro, Aus or US lead		
GENERAL PURPOSE STIRRED WATER BATHS (T100 MODELS)		
T100-P5	5l plastic tank & immersion thermostat, ambient +15°C to 99°C	1.208,95 €
T100-P12	12l plastic tank & immersion thermostat, ambient +5°C to 99°C	1.221,60 €
T100-P18	18l plastic tank & immersion thermostat, ambient +5°C to 99°C	1.260,62 €
T100-ST5	5l stainless steel tank & immersion thermostat, ambient +15°C to 100°C	1.259,56 €
T100-ST12	12l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.454,65 €
T100-ST18	18l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.536,91 €
T100-ST26	26l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.606,51 €
T100-ST38	38l stainless steel tank & immersion thermostat, 0°C* to 100°C	2.075,78 €
GENERAL PURPOSE STIRRED WATER BATH WITH EXTERNAL CIRCULATION (TC120 MODELS)		
TC120-P5	5l plastic tank & TC120 immersion thermostat, ambient +15°C to 99°C	1.408,25 €
TC120-P12	12l plastic tank & TC120 immersion thermostat, ambient +5°C to 99°C	1.419,85 €
TC120-P18	18l plastic tank & TC120 immersion thermostat, ambient +5°C to 99°C	1.462,04 €
TC120-ST5	5l stainless steel tank & TC120 immersion thermostat, ambient +15°C to 120°C	1.462,04 €
TC120-ST12	12l stainless steel tank & TC120 immersion thermostat, 0°C* to 120°C	1.655,02 €
TC120-ST18	18l stainless steel tank & TC120 immersion thermostat, 0°C* to 120°C	1.736,22 €
TC120-ST26	26l stainless steel tank & TC120 immersion thermostat, -15°C* to 120°C	1.806,87 €
TC120-ST38	38l stainless steel tank & TC120 immersion thermostat, -15°C* to 120°C	2.276,15 €
ADVANCED STIRRED WATER BATHS WITH EXTERNAL CIRCULATION (TX150 MODELS)		
TX150-ST5	5l stainless steel tank & TX150 immersion thermostat, ambient +15°C to 150°C	1.732,00 €
TX150-ST12	12l stainless steel tank & TX150 immersion thermostat, 0°C* to 150°C	1.923,93 €
TX150-ST18	18l stainless steel tank & TX150 immersion thermostat, 0°C* to 150°C	2.006,18 €
TX150-ST26	26l stainless steel tank & TX150 immersion thermostat, -15°C* to 150°C	2.074,73 €
TX150-ST38	38l stainless steel tank & TX150 immersion thermostat, -15°C* to 150°C	2.544,00 €
ADVANCED STIRRED WATER BATHS WITH EXTERNAL CIRCULATION (TXF200 MODELS)		
TXF200-ST5	5l stainless steel tank & TXF200 immersion thermostat, ambient +15°C to 200°C	2.197,05 €
TXF200-ST12	12l stainless steel tank & TXF200 immersion thermostat, 0°C* to 200°C	2.388,98 €
TXF200-ST18	18l stainless steel tank & TXF200 immersion thermostat, 0°C* to 200°C	2.470,18 €
TXF200-ST26	26l stainless steel tank & TXF200 immersion thermostat, -15°C* to 200°C	2.540,84 €
TXF200-ST38	38l stainless steel tank & TXF200 immersion thermostat, -15°C* to 200°C	3.010,11 €
	* Operation at or below ambient requires C1G, C2G or CW5 accessory cooling	
HEATING CIRCULATORS - Please specify UK, Euro, Aus or US lead		
T100	Heating circulator digital, general purpose 0°C* to 100°C	992,76 €
TC120	Heating circulator digital, general purpose -25°C* to 120°C, pump	1.197,35 €
TX150	Heating circulator digital, advanced, programmable, -50°C* to 150°C, pump	1.484,18 €
TXF200	Heating circulator digital, advanced, programmable (10), -50°C* to 200°C, powerful multi-stage pump	1.945,02 €
T100T	Heating circulator digital, general purpose 0°C* to 100°C T clamp included	1.054,98 €
TC120T	Heating circulator digital, general purpose -25°C* to 120°C, pump T clamp included	1.260,62 €
TX150T	Heating circulator digital, advanced, programmable, -50°C* to 150°C, pump T clamp included	1.549,56 €

Ref.	Descripción	PVR (€)
TXF200T	Heating circulator digital, advanced, programmable (10), -50°C* to 200°C, powerful multi-stage pump T clamp included	2.016,73 €
T-CLAMP	N.B. T Clamp allows use of circulators with other tanks	130,00 €
	* Operation at or below ambient requires accessory cooling	
	TANKS	
	PLASTIC	
P5	Tank plastic 5 litres	421,20 €
P12	Tank plastic 12 litres	433,85 €
P18	Tank plastic 18 litres	472,87 €
	Stainless steel drain tap on 12,18, 26 & 38L models, bridge plate included	
ST5	Tank stainless steel 5 litres	472,87 €
ST12	Tank stainless steel 12 litres	672,18 €
ST18	Tank stainless steel 18 litres	754,44 €
ST26	Tank stainless steel 26 litres	826,15 €
ST38	Tank stainless steel 38 litres	1.304,91 €
	ACCESSORIES FOR STIRRED BATHS	
LabWise	Software for programming TX150/TXF200, GR150/GP200 includes USB & RS232 cable	121,27 €
	Bridge plates for use with stainless steel tanks	
T-BTS	Bridge plate replacement fits T Optima heating circulator models to ST5 tank	185,52 €
T-BTL	Bridge plate replacement fits T Optima heating circulator models to ST12, 18, 26 & 38 tanks	202,70 €
T-BSS	Bridge plate fits T Optima heating circulator models to S5 tank	185,52 €
T-BSL	Bridge plate fits T Optima heating circulator models to S12, 18, 26 & 38 tanks	202,70 €
T-BYWS	Bridge plate fits T Optima heating circulator models to Y6 & W6 tanks	202,70 €
T-BYWL	Bridge plate fits T Optima heating circulator models to Y14, 28 & 38 tanks also W14, 28 & 38 tanks	210,22 €
	Bridge plates for use with plastic tanks	
T-BPS	Bridge plate replacement fits T Optima heating circulator models to P5 tank	187,67 €
T-BPL	Bridge plate replacement fits T Optima heating circulator models to P12 & 18 tanks	201,63 €
	Lids	
STL12	Lid gabled stainless steel with hinges for ST12 bath	336,96 €
STL26	Lid gabled stainless steel with hinges for ST18 and ST26 baths	399,26 €
STL38	Lid gabled stainless steel with hinges for ST38 bath	565,74 €
STL5	Lid flat stainless steel no hinges for ST5 bath	135,04 €
PL5	Lid flat stainless steel no hinges for P5 bath	124,30 €
LST12	Lid pitched lift-off s/s for S12 and ST12 baths, recommended when bath is used constantly with water above 90°C	252,11 €
LST26	Lid pitched lift-off s/s for S18/S26, ST18/26 baths, recommended when bath is used constantly with water above 90°C	352,00 €
LST38	Lid pitched lift-off s/s for S38 and ST38 baths, recommended when bath is used constantly with water above 90°C	444,37 €
PL12	Lid plastic flat no hinges for P12 bath	112,48 €
PL18	Lid plastic flat no hinges for P18 bath	118,93 €
PS20	Polypropylene spheres (pack of 300)	126,19 €
	Test tube racks	
QR-13	Test tube rack for 5 litre baths including LT ecocool for 10 to 13mm tubes	129,41 €
QR-19	Test tube rack for 5 litre baths including LT ecocool for 16 to 19mm tubes	129,41 €
QR-24	Test tube rack for 5 litre baths including LT ecocool for 24mm tubes	129,41 €
QR-30	Test tube rack for 5 litre baths including LT ecocool for 30mm tubes	129,41 €
QR-SE	Test tube rack for 5 litre baths including LT ecocool for 0.5ml microcentrifuge tubes	129,41 €
QR-LE	Test tube rack for 5 litre baths including LT ecocool for 1.5ml microcentrifuge tubes	129,41 €
VR-13	Test tube rack for 12, 18, 26 and 38 litre baths for 10 to 13mm tubes	136,93 €
VR-19	Test tube rack for 12, 18, 26 and 38 litre baths for 16 to 19mm tubes	136,93 €
VR-24	Test tube rack for 12, 18, 26 and 38 litre baths for 24mm tubes	136,93 €
VR-30	Test tube rack for 12, 18, 26 and 38 litre baths for 30mm tubes	136,93 €
VR-SE	Test tube rack for 12, 18, 26 and 38 litre baths for 0.5ml microcentrifuge tubes	136,93 €

Ref.	Descripción	PVR (€)
VR-LE	Test tube rack for 12, 18, 26 and 38 litre baths for 1.5ml microcentrifuge tubes	136,93 €
	Raised shelves	
RS14	Raised shelves for ST12 baths	138,00 €
RS22	Raised shelves for ST18 baths	186,33 €
RS28	Raised shelves for ST26 baths	193,85 €
RS38	Raised shelves for ST38 baths	237,89 €
SY1	Draining siphon	52,48 €
	Accessory vertical turbine pumps - Please specify UK, Euro or Aus lead	
VTP1-FLST5	Vertical turbine pump fits ST5, 1000mbar pressure (120V please enquire)	486,26 €
VTP1-FLST12	Vertical turbine pump fits ST12, 1000mbar pressure (120V please enquire)	486,26 €
VTP1-FLST26	Vertical turbine pump fits ST18 & ST26, 1000mbar pressure (120V please enquire)	486,26 €
VTP2-FLST5	Vertical turbine pump fits ST5, 1650mbar pressure (No 120V)	535,67 €
VTP2-FLST12	Vertical turbine pump fits ST12, 1650mbar pressure (No 120V)	535,67 €
VTP2-FLST26	Vertical turbine pump fits ST18 & ST26, 1650mbar pressure (No 120V)	535,67 €
	Accessory cooling systems - Please specify UK, Euro, Aus or US lead	
C1G	Refrigerated immersion cooler 0 to 40°C	2.228,26 €
C2G	Refrigerated immersion cooler -15 to 40°C (not suitable for 5L or 12L tanks)	2.433,41 €
CW5	Heat exchange coil	210,22 €
	External temperature probe	
TXPEP	Plastic flexible temperature probe external for use with TX150, TXF200	220,70 €
TXSEP	Stainless steel temperature probe external for use with TX150, TXF200	226,07 €
	Pump connectors for Optima™ and LT ecocool™	
P-M6	Pump conn. plastic replacement inlet/outlet. Fits tubing 9mm inner dia. Temp range -50 to 200°C	69,26 €
P-M11	Pump conn. plastic replacement inlet/outlet. Fits tubing 15mm inner dia. Temp range -50 to 200°C	69,26 €
M-SR4	Pump conn. metal inlet/outlet, dual seal super rapid 4mm. Fits semi rigid tubing 4mm outer dia. T° range -20 to 100°C	204,59 €
M-SR6	Pump conn. metal inlet/outlet, dual seal super rapid 6mm. Fits semi rigid tubing 6mm outer dia. T° range -20 to 100°C	212,11 €
M-SR8	Pump conn. metal inlet/outlet, dual seal super rapid 8mm. Fits semi rigid tubing 8mm outer dia. T° range -20 to 100°C	212,11 €
M-HB7	Pump conn. metal inlet/outlet, hose barb 7mm. Fits flexible tubing 7mm inner dia. Temp range -40 to 120°C	204,59 €
M-HB9	Pump conn. metal inlet/outlet, hose barb 9mm. Fits flexible tubing 9mm inner dia. Temp range -40 to 120°C	204,59 €
M-HB12	Pump conn. metal inlet/outlet, hose barb 12mm. Fits flexible tubing 12mm inner dia. Temp range -40 to 120°C	204,59 €
M-UC	Pump inlet/outlet plate, metal 1/4" BSP/G1/4 female. Temp range -50 to 200°C	197,07 €
	Insulated hosing kits	
HOSE100	General purpose -40 to 100°C includes clips and connector for LT ecocool™ and Optima™ thermostats, 2 x 2m, 10mm ID Ø 14mm OD Ø can be cut to length re	157,33 €
HOSE200	High temperature Viton® -50 to 200°C includes clips and connector for LT ecocool™ and Optima™ thermostats 2 x 2m, 8mm ID Ø 11mm OD Ø can be cut to le	535,67 €
LOW TEMPERATURE BATH CIRCULATOR SYSTEMS - Please specify UK, Euro, Aus or US lead		
ENERGY EFFICIENT LT REFRIGERATED BATH - 4 YEAR WARRANTY		
LT ecocool 100	Energy efficient general purpose refrigerated heating circulating bath -20 to 100°C	3.467,78 €
LT ecocool 150	Energy efficient advanced refrigerated heating circulating bath -25 to 150°C	4.198,58 €
	LT ecocool 100 is available as 230V 60Hz, 230V 50Hz or 120V 60Hz, please specify	
ACCESSORIES FOR LT ECOCOOL		
	External temperature probe	
PEP	Plastic flexible temperature probe external for use with LT ecocool 150	221,78 €
SEP	Stainless steel temperature probe external for use with LT ecocool 150	216,41 €
	Vertical Turbine Pumps	
VTP1-LT	Vertical Turbine Pump for LT ecocool models 1000mb (120V please enquire)	371,33 €
VTP2-LT	Vertical Turbine Pump for LT ecocool models 1650mb (No 120V)	416,44 €
LTC REFRIGERATED/HEATING CIRCULATING KITS		

Ref.	Descripción	PVR (€)
LTC4	Refrigerated heating circulating bath kit with tubing and clips -30 to 100°C, 20L includes drain & relay (as per TX150-R4)	5.262,62 €
	GENERAL PURPOSE REFRIGERATED BATH	
TX100-R4	Refrigerated heating circulating bath 0 to 100°C, 20L, includes drain, relay	5.694,98 €
	GENERAL PURPOSE REFRIGERATED BATH WITH PUMP	
TC120-R4	Refrigerated heating circulating bath -25 to 100°C, 20L, includes drain, relay	5.954,40 €
	ADVANCED REFRIGERATED BATH WITH POWERFUL MULTI-STAGE PUMP, USB, RS232 PROGRAMMABLE	
TXF200-R4	Refrigerated heating circulating bath -30 to 100°C, 20L, includes drain, relay	6.670,44 €
TXF200-Chiller	Refrigerated heating circulating bath -47 to 100°C, 12L, includes drain, relay (No 120V)	A consultar
	HEATING CIRCULATORS - Please specify UK, Euro, Aus or US lead	
T100	Digital heating circulator, general purpose 0* to 100°C	992,76 €
TC120	Digital heating circulator, general purpose -25* to 120°C, pump	1.197,35 €
TX150	Digital heating circulator, advanced -50* to 150°C, pump	1.484,18 €
TXF200	Digital heating circulator, advanced, programmable, -50* to 200°C, powerful multi-stage pump	1.945,02 €
	* Operation at or below ambient requires cooling	
	REFRIGERATION UNITS - Please specify UK, Euro, Aus or US lead	
R4	Refrigeration unit minimum temperature -30°C, 20L, includes drain, relay	4.984,22 €
Chiller	Refrigeration unit minimum temperature -47°C, 12L, includes drain, relay (No 120V)	A consultar
	N.B. A heating circulator is required to achieve desired temperature	
	ACCESSORIES FOR REFRIGERATED HEATING CIRCULATING BATHS	
	Accessory vertical turbine pumps - Please specify UK, Euro or Aus lead	
VTP1-PLR123	Vertical turbine pump fits all R1, R2 & R3 units, 1000mbar pressure (120V please enquire)	369,00 €
VTP1-PLR4	Vertical turbine pump fits R4 unit, 1000mbar pressure (120V please enquire)	372,00 €
VTP1-PLR5	Vertical turbine pump fits R5 unit, 1000mbar pressure (No 120V)	322,00 €
VTP2-PLR123	Vertical turbine pump fits all R1, R2 & R3 units, 1650mbar pressure (No 120V)	414,00 €
VTP2-PLR4	Vertical turbine pump fits R4 unit, 1650mbar pressure (No 120V)	414,00 €
VTP2-PLR5	Vertical turbine pump fits R5 unit, 1650mbar pressure (No 120V)	381,00 €
	Test tube racks	
QR-13	Test tube rack for 5 litre baths including LT ecocool for 10 to 13mm tubes	129,41 €
QR-19	Test tube rack for 5 litre baths including LT ecocool for 16 to 19mm tubes	129,41 €
QR-24	Test tube rack for 5 litre baths including LT ecocool for 24mm tubes	129,41 €
QR-30	Test tube rack for 5 litre baths including LT ecocool for 30mm tubes	129,41 €
QR-SE	Test tube rack for 5 litre baths including LT ecocool for 0.5ml microcentrifuge tubes	129,41 €
QR-LE	Test tube rack for 5 litre baths including LT ecocool for 1.5ml microcentrifuge tubes	129,41 €
	Labwise Software	
LabWise	Software for programming TX150 & TXF200 and LT ecocool 150 including USB & RS232 cable	157,33 €
T-CIS	Communication Interface spec for Optima TX150 & TXF200 and LT ecocool 150 (NDA required, please contact Grant)	342,07 €
	Bridge plates for use with refrigeration units	
T-BR3	Bridge plate replacement fits T Optima heating circulator models to R1, R2 & R3	100,41 €
T-BR4	Bridge plate replacement fits T Optima heating circulator models to R4	145,00 €
T-BR5	Bridge plate replacement fits T Optima heating circulator models to R5	112,00 €
	External temperature probe	
TXPEP	Plastic flexible temperature probe external for use with TX150, TXF200	220,70 €

Ref.	Descripción	PVR (€)
TXSEP	Stainless steel temperature probe external for use with TX150, TXF200	226,07 €
RECIRCULATING CHILLERS - Please specify UK, Euro, Aus lead (120V please enquire)		
RC1400G	Recirculating chiller 1300W including standard pump, audible alarm and flow fail cut-out, -10 to 60°C	A consultar
RC3000G	Recirculating chiller 3000W including standard pump, audible alarm and flow fail cut-out, -10 to 60°C	A consultar
ACCESSORIES FOR REFRIGERATED HEATING CIRCULATING BATHS		
RC BYP	Bypass for recirculating chiller	256,15 €
RC PR	Pressure gauge for recirculating chiller	174,52 €
PRES	Priming reservoir for recirculating chiller	343,15 €
RC HF9	Pipe fitting pair recirculating chiller, for 9mm i.d. hose	127,26 €
RC HF12	Pipe fitting pair recirculating chiller, for 12mm i.d. hose	127,26 €
RC HF17	Pipe fitting pair recirculating chiller, for 17mm i.d. hose	127,26 €
UNSTIRRED WATER BATHS - Please specify UK, Euro, Aus or US lead		
SUB AQUA PRO ADVANCED DIGITAL WATER BATHS		
SAP2	Water bath, digital, 2L ambient +5 to 99°C, includes clear lid and base tray	944,25 €
SAP2S	Water bath, digital, 2L shallow ambient +5 to 99°C, includes clear lid and base tray	949,53 €
SAP5	Water bath, digital, 5L ambient +5 to 99°C, includes clear lid and base tray	984,33 €
SAP12	Water bath, digital, 12L ambient +5 to 99°C, includes clear lid, drain and base tray	1.063,42 €
SAP18	Water bath, digital, 18L ambient +5 to 99°C, includes clear lid, drain and base tray	1.173,09 €
SAP26	Water bath, digital, 26L ambient +5 to 99°C, includes clear lid, drain and base tray	1.214,22 €
SAP34	Water bath, digital, 34L ambient +5 to 99°C, includes ss lid, drain and base tray	1.794,22 €
SAPD	Water bath, digital, 5 & 12L dual ambient +5 to 99°C, includes clear lids, drains and base trays	1.656,07 €
JB NOVA GENERAL PURPOSE DIGITAL WATER BATHS		
JBN5	Water bath, digital, 5L ambient +5 to 95°C, includes clear lid and base tray	804,00 €
JBN12	Water bath, digital, 12L ambient +5 to 95°C, includes clear lid, drain and base tray	893,64 €
JBN18	Water bath, digital, 18L ambient +5 to 95°C, includes clear lid, drain and base tray	1.036,00 €
JBN26	Water bath, digital, 26L ambient +5 to 95°C, includes clear lid, drain and base tray	1.188,91 €
JB ACADEMY BASIC DIGITAL WATER BATHS		
JBA5	Water bath, digital, 5L ambient +5 to 95°C, includes base tray	719,64 €
JBA12	Water bath, digital, 12L ambient +5 to 95°C, includes base tray	793,45 €
JBA18	Water bath, digital, 18L ambient +5 to 95°C, includes base tray	920,00 €
SBB AQUA PLUS BOILING BATHS		
SBB AQUA 5 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 5L	1.099,27 €
SBB AQUA 12 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 12L	1.163,60 €
SBB AQUA 18 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 18L	1.265,89 €
SBB AQUA 26 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 26L	1.521,09 €
All SBB Aqua Plus boiling baths include a base tray and gabled polycarbonate lid		
ACCESSORIES FOR UNSTIRRED WATER BATHS		
Stainless steel test tube racks for SAP, JBN, JBA and SBB baths		
J2-10	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 10mm tubes	144,44 €
J2-13	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 13mm tubes	144,44 €
J2-16	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 16mm tubes	144,44 €
J2-19	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 19mm tubes	144,44 €
J2-25	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 25mm tubes	144,44 €
J2-30	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 30mm tubes	144,44 €
J2-SE	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 0.5ml microtubes	145,52 €
J2-LE	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 1.5ml microtubes	144,44 €

Ref.	Descripción	PVR (€)
	RAISED SHELVES	
	Stainless steel raised shelves for SAP, JBN, JBA and SBB baths	
RS14H	Raised shelf stainless steel for SAP12, JBN12, JBA12 AND SBB AQUA 12 PLUS	168,07 €
RS18H	Raised shelf stainless steel for SAP18, JBN18, JBA18 and SBB AQUA 18 PLUS	191,70 €
RS28H	Raised shelf stainless steel for SAP26, JBN26 and SBB AQUA 26 PLUS	220,70 €
RS36H	Raised shelf stainless steel for SAP34	274,41 €
	N.B. there are no stainless steel raised shelves for the SAP5/2/2S or, JBN5, JBA5 or SBB AQUA 5 PLUS	
	BASE TRAYS	
	Stainless steel base trays for SAP, JBN, JBA and SBB baths	
SBT2	Base tray stainless steel for SAP2	120,81 €
SBT6	Base tray stainless steel for SAP2S, SAP5, JBN5, JBA5 and SBB AQUA 5 PLUS	126,19 €
SBT14	Base tray stainless steel for SAP12, JBN12, JBA12 and SBB AQUA 12 PLUS	120,81 €
SBT28	Base tray stainless steel for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS	126,19 €
SBT36	Base tray stainless steel for SAP34	126,19 €
	Polycarbonate base trays for SAP, JBN and JBA (replacement)	
AQBT2	Base tray polycarbonate for SAP2	67,11 €
AQBT5	Base tray polycarbonate for SAP2S, SAP5, JBN5 and JBA5	70,33 €
AQBT12	Base tray polycarbonate for SAP12, JBN12 and JBA12	73,56 €
AQBT26	Base tray polycarbonate for SAP18/26, JBN18/26 and JBA18	81,07 €
	LIDS	
	Stainless steel gabled lids for SAP, JBN, JBA and SBB baths	
LU6	Lid gabled stainless steel for SAP2S, SAP5, JBN5, JBA5 and SBB AQUA 5 PLUS.	228,48 €
LU14	Lid gabled stainless steel for SAP12, JBN12, JBA12, and SBB AQUA 12 PLUS.	245,67 €
LU28	Lid gabled stainless steel for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS.	268,22 €
LU36	Lid gabled stainless steel for SAP34	299,37 €
	N.B. there is no stainless steel gabled lid for the SAP2	
	N.B. for SAPD use 1 x LU6 and 1 x LU14	
	Stainless steel flat lids with ring sets for SAP, JBN & JBA baths	
LF6	Lid flat stainless steel with ring set for SAP2S/5, JBN5, JBA5 and SBB AQUA 5 PLUS. 2 ring sets	261,78 €
LF14	Lid flat stainless steel with ring set for SAP12, JBN12, JBA12 and SBB AQUA 12 PLUS. 4 ring sets	373,48 €
LF28	Lid flat stainless steel with ring set for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS. 6 ring sets	497,00 €
LF36	Lid flat stainless steel with ring set for SAP34. 8 rings sets	574,33 €
	N.B. there is no flat lid with ring set for the SAP2	
	N.B. for SAPD use 1 x LF6 and 1 x LF14	
	Polycarbonate gabled lids (clear) SAP, JBN and SBB baths (replacement) and JBA	
AQL2	Lid gabled polycarbonate clear for SAP2	110,07 €
AQL5	Lid gabled polycarbonate clear for SAP2S/5, JBN5, JBA5, and SBB AQUA 5 PLUS	125,11 €
AQL12	Lid gabled polycarbonate clear for SAP12, JBN12 and JBA12 and SBB AQUA 12 PLUS	144,44 €
AQL26	Lid gabled polycarbonate clear for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS	160,56 €
PS20	Polypropylene spheres (pack of 300) suitable for use with all unstirred baths	126,19 €
UWB-DS	Drain stopper, pack of 5, for use with SAP and JBN baths 12L and above	56,37 €
	N.B. Recommended when using heat transfer beads, to prevent beads entering drain hole	
	SHAKING WATER BATHS, COMBINED ORBITAL/LINEAR AND LINEAR MOTION	
	AQUA PRO SHAKING WATER BATHS.	
OLS26	Orbital/linear shaking water bath, digital, 26L, 0* to 99°C, includes clear lid and TU26 universal tray*	3.429,82 €
	* Operation at or below amb. requires accessory cooling	
LSB12	Linear shaking water bath, digital, 12L, ambient +5 to 99°C, includes clear lid and TU12 universal tray*	2.548,22 €
LSB18	Linear shaking water bath, digital, 18L, ambient +5 to 99°C, includes clear lid and TU18 universal tray*	2.854,04 €
	* tray included with orders received after May 1st	

Ref.	Descripción	PVR (€)
	ACCESSORIES FOR AQUA PRO SHAKING WATER BATHS	
	Trays	
TU12	Universal tray with adjustable/removable springs for LSB12	315,78 €
TU18	Universal tray with adjustable/removable springs for LSB18	333,82 €
TU26	Universal tray with adjustable/removable springs for OLS26	333,82 €
TS12	Test tube tray for LSB12, holds 3 x SR racks or can be used as plain tray	293,87 €
TS18	Test tube tray for LSB18, holds 5 x SR racks or can be used as plain tray	311,91 €
TS26	Test tube tray for OLS26, holds 5 x SR racks or can be used as plain tray	310,62 €
TF12	Flask tray for LSB12, compatible with SC flask clamps and SR racks	293,87 €
TF18	Flask tray for LSB18, compatible with SC flask clamps and SR racks	318,36 €
TF26	Flask tray for OLS26, compatible with SC flask clamps and SR racks	314,49 €
SBT12	Base tray, stainless steel, perforated for LSB12	134,78 €
SBT26	Base tray, stainless steel, perforated for OLS26/LSB18	134,78 €
	Racks	
SR-10	Test tube rack SR for 48 x 10mm tubes	132,79 €
SR-13	Test tube rack SR for 44 x 13mm tubes	132,79 €
SR-16	Test tube rack SR for 24 x 16mm tubes	132,79 €
SR-19	Test tube rack SR for 21 x 19mm tubes	132,79 €
SR-25	Test tube rack SR for 12 x 25mm tubes	132,79 €
SR-30	Test tube rack SR for 10 x 30mm tubes	132,79 €
SR-SE	Test tube rack SR for 119 x 0.5ml microtubes	132,79 €
SR-LE	Test tube rack SR for 48 x 1.5ml microtubes	132,79 €
	Spring clamps for flasks and deep well plate holder	
SC-25	Spring clamp SC for 25ml flask	56,11 €
SC-50	Spring clamp SC for 50ml flask	56,11 €
SC-100	Spring clamp SC for 100ml flask	83,95 €
SC-250	Spring clamp SC for 250ml flask	85,47 €
SC-500	Spring clamp SC for 500ml flask	85,47 €
SC-1000	Spring clamp SC for 1000ml flask	88,53 €
	Spare spring set	
SSK	Spare spring kit for use with universal tray (10 short and 6 long springs)	56,11 €
	Gabled lids	
LS200	Lid gabled stainless steel for OLS26 (with hole for cooling coil access)	269,30 €
LU14	Lid gabled stainless steel for LSB12	245,67 €
LU28	Lid gabled stainless steel for LSB18	268,22 €
AQL12	Replacement lid, gabled polycarbonate clear for LSB12	162,96 €
AQL26	Replacement lid, gabled polycarbonate clear for OLS26/LSB18	179,07 €
	Cooling systems	
CC26	Refrigerated immersion cooler for OLS26	2.540,84 €
CW26	Heat exchange coil for connection to water supply for OLS26	421,20 €
	ULTRASONIC BATHS - includes a UK and Euro lead (No 120V)	
	XUB ULTRASONIC BATHS, DIGITAL	
XUB5	Ultrasonic bath 4.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	1.762,58 €
XUB10	Ultrasonic bath 9.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	1.936,58 €
XUB12	Ultrasonic bath 12.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.061,02 €
XUB18	Ultrasonic bath 17.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.283,53 €
XUB25	Ultrasonic bath 25L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.639,96 €
	XUBA ULTRASONIC BATHS, ANALOGUE	
XUBA1	Ultrasonic bath 1.5L analogue, includes ABS lid, s. steel basket and 1 bottle of M2 solution	635,27 €

Ref.	Descripción	PVR (€)
XUBA3	Ultrasonic bath 2.5L analogue, ambient +5 to 70°C, includes ABS lid, s.steel basket and 1 bottle of M2 solution	1.067,64 €
	ACCESSORIES FOR XUBA AND XUB ULTRASONIC BATHS	
	Replacement lids	
XAL1	Lid replacement ABS for XUBA1	51,37 €
XAL3	Lid replacement ABS for XUBA3	59,66 €
XAL5	Lid replacement ABS for XUB5	62,58 €
XAL10	Lid replacement ABS for XUB10	71,74 €
XAL12	Lid replacement ABS for XUB12	71,74 €
XAL18	Lid replacement ABS for XUB18	80,89 €
XAL25	Lid replacement ABS for XUB25	87,00 €
	Replacement baskets	
XAB1	Basket replacement stainless steel for XUBA1	72,89 €
XAB3	Basket replacement stainless steel for XUBA3	89,49 €
XAB5	Basket replacement stainless steel for XUB5	96,16 €
XAB10	Basket replacement stainless steel for XUB10	123,63 €
XAB12	Basket replacement stainless steel for XUB12	150,80 €
XAB18	Basket replacement stainless steel for XUB18	174,00 €
XAB25	Basket replacement stainless steel for XUB25	188,18 €
M2 SOL	M2 solution for use with XUBA and XUB Ultrasonic baths (6 x 1 litre bottles)	188,18 €
	DRY BLOCK HEATERS	
	DIGITAL DRY BLOCK HEATERS	
QBD1	Dry block heater digital ambient +5 to 130°C holds 1 interchangeable block	888,36 €
QBD2	Dry block heater digital ambient +5 to 130°C holds 2 interchangeable blocks	1.076,07 €
QBD4	Dry block heater digital ambient +5 to 130°C holds 4 interchangeable blocks	1.310,18 €
	HIGH PERFORMANCE DRY BLOCK HEATER	
QBH2	Dry block heater digital ambient +5 to 200°C holds 2 interchangeable blocks	1.310,18 €
	ACCESSORIES FOR QBD, QBH DRY BLOCK HEATERS	
	Interchangeable blocks	
QB-0	Interchangeable block for QBD & QBH plain block	109,56 €
QB-10	Interchangeable block for QBD & QBH for 24 x Ø 10mm test tubes	146,93 €
QB-12	Interchangeable block for QBD & QBH for 24 x Ø 12mm test tubes	146,93 €
QB-13	Interchangeable block for QBD & QBH for 12 x Ø 13mm test tubes	146,93 €
QB-16	Interchangeable block for QBD & QBH for 12 x Ø 16mm test tubes	146,93 €
QB-17H	Interchangeable block for QBD & QBH extra deep block, for 10 x Ø 17mm Falcon tubes, holes 75mm deep	183,02 €
QB-18	Interchangeable block for QBD & QBH for 12 x Ø 18mm test tubes	146,93 €
QB-24	Interchangeable block for QBD & QBH for 5 x Ø 24mm tubes & disposable universal bottles	146,93 €
QB-50	Interchangeable block for QBD & QBH for 4 x Ø 29 mm 50ml non-skirted centrifuge tubes & glass universal bottles	146,93 €
QB-H	Interchangeable block for QBD & QBH for 56 x 0.2ml microtubes or 7 x PCR strips	146,93 €
QB-E0	Interchangeable block for QBD & QBH for 24 x 0.5ml microcentrifuge tubes	146,93 €
QB-E1	Interchangeable block for QBD & QBH for 24 x 1.5ml microcentrifuge tubes	146,93 €
QB-E2	Interchangeable block for QBD & QBH for 24 x 2.0ml microcentrifuge tubes	146,93 €
QB-E5	Interchangeable block for QBD & QBH for 12 x 5.0ml microcentrifuge tubes	146,93 €
QB-DN	Interchangeable block for QBD & QBH for 24 x Ø 11.13mm to Ø 6.1mm dolphin nose tubes	146,93 €
QDP-FL	Interchangeable block for 96-well plates, complete with lid; for use only in QBD2	441,96 €
QDP-H	Interchangeable block for 0.2ml tubes, strips, 96-well plates; for use only in QBD2	315,52 €
	External probes	
QBEP	External probe for QBD and QBH	103,11 €
QBEP-WM	External probe for QBD and QBH short-form	103,11 €

Ref.	Descripción	PVR (€)
	Safety cover	
QBL1	Safety cover transparent polycarbonate for QDB1	143,07 €
QBL2	Safety cover transparent polycarbonate for QBD2, QBH2	153,38 €
QBL4	Safety cover transparent polycarbonate for QBD4	163,69 €
	HIGH TEMPERATURE DRY BLOCK HEATERS	
BT5D-16	High temperature dry block heater fixed block digital, ambient +10°C to 400°C for 16mm test tubes	3.879,31 €
BT5D-26	High temperature dry block heater fixed block digital, ambient +10°C to 400°C for 26mm test tubes	3.958,50 €
	INSPISSATOR FOR TUBERCULOSIS TESTING	
TBT-T100IN	Inspissator for the production of tuberculosis culture medium	5.194,81 €
	Spare Parts for Inspissator	
T100IN	Inspissator spare thermostatic control unit	1.753,85 €
QIN	Inspissator spare quilt	236,49 €
BIN	Inspissator spare blanket	174,34 €
TB-BTSIN	Inspissator spare bridge plate, fits T100IN onto tank	191,74 €
	AIR PURIFIER	
AP360	ap360 Air Purifier, air flow 360m3/hr, 1 x HEPA 13 filter 2 x UVC Lamps	4.000,00 €

ACEFE, S.A.



SEDE CENTRAL

Calle Isaac Peral, 5
Pol. Ind. Camf Ral
08850 Gavà, España
Tel.: +34 936-362-002
acefesa@acefesa.com

DELEGACIONES

Cataluña Norte:
Cataluña Sur:
Centro:
Levante y Sur:
Noroeste:



Julio Mesa
Cristian Gimó
@TahX_@XaT
Charo Ortín
Francisco Gutiérrez



Tel.: 670-906-156
Tel.: 617-486-038
Tel.: 617-486-039
Tel.: 670-906-508
Tel.: 627-449-343



comercial3@acefesa.com
comercial6@acefesa.com
comercial5@acefesa.com
comercial2@acefesa.com
comercial7@acefesa.com