



# LISTA DE PRECIOS 2021

## Grant Scientific



Productos para Laboratorio

Ref.	Descripción	PVR (€)
<b>HEATED CIRCULATING BATHS - Please specify UK, Euro, Aus or US lead</b>		
<b>GENERAL PURPOSE STIRRED WATER BATHS (T100 MODELS)</b>		
T100-P5	5l plastic tank & immersion thermostat, ambient +15°C to 99°C	1.208,95 €
T100-P12	12l plastic tank & immersion thermostat, ambient +5°C to 99°C	1.221,60 €
T100-P18	18l plastic tank & immersion thermostat, ambient +5°C to 99°C	1.260,62 €
T100-ST5	5l stainless steel tank & immersion thermostat, ambient +15°C to 100°C	1.259,56 €
T100-ST12	12l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.454,65 €
T100-ST18	18l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.536,91 €
T100-ST26	26l stainless steel tank & immersion thermostat, 0°C* to 100°C	1.606,51 €
T100-ST38	38l stainless steel tank & immersion thermostat, 0°C* to 100°C	2.075,78 €
<b>GENERAL PURPOSE STIRRED WATER BATH WITH EXTERNAL CIRCULATION (TC120 MODELS)</b>		
TC120-P5	5l plastic tank & TC120 immersion thermostat, ambient +15°C to 99°C	1.408,25 €
TC120-P12	12l plastic tank & TC120 immersion thermostat, ambient +5°C to 99°C	1.419,85 €
TC120-P18	18l plastic tank & TC120 immersion thermostat, ambient +5°C to 99°C	1.462,04 €
TC120-ST5	5l stainless steel tank & TC120 immersion thermostat, ambient +15°C to 120°C	1.462,04 €
TC120-ST12	12l stainless steel tank & TC120 immersion thermostat, 0°C* to 120°C	1.655,02 €
TC120-ST18	18l stainless steel tank & TC120 immersion thermostat, 0°C* to 120°C	1.736,22 €
TC120-ST26	26l stainless steel tank & TC120 immersion thermostat, -15°C* to 120°C	1.806,87 €
TC120-ST38	38l stainless steel tank & TC120 immersion thermostat, -15°C* to 120°C	2.276,15 €
<b>ADVANCED STIRRED WATER BATHS WITH EXTERNAL CIRCULATION (TX150 MODELS)</b>		
TX150-ST5	5l stainless steel tank & TX150 immersion thermostat, ambient +15°C to 150°C	1.732,00 €
TX150-ST12	12l stainless steel tank & TX150 immersion thermostat, 0°C* to 150°C	1.923,93 €
TX150-ST18	18l stainless steel tank & TX150 immersion thermostat, 0°C* to 150°C	2.006,18 €
TX150-ST26	26l stainless steel tank & TX150 immersion thermostat, -15°C* to 150°C	2.074,73 €
TX150-ST38	38l stainless steel tank & TX150 immersion thermostat, -15°C* to 150°C	2.544,00 €
<b>ADVANCED STIRRED WATER BATHS WITH EXTERNAL CIRCULATION (TXF200 MODELS)</b>		
TXF200-ST5	5l stainless steel tank & TXF200 immersion thermostat, ambient +15°C to 200°C	2.197,05 €
TXF200-ST12	12l stainless steel tank & TXF200 immersion thermostat, 0°C* to 200°C	2.388,98 €
TXF200-ST18	18l stainless steel tank & TXF200 immersion thermostat, 0°C* to 200°C	2.470,18 €
TXF200-ST26	26l stainless steel tank & TXF200 immersion thermostat, -15°C* to 200°C	2.540,84 €
TXF200-ST38	38l stainless steel tank & TXF200 immersion thermostat, -15°C* to 200°C	3.010,11 €
	* Operation at or below ambient requires C1G, C2G or CW5 accessory cooling	
<b>HEATING CIRCULATORS - Please specify UK, Euro, Aus or US lead</b>		
T100	Heating circulator digital, general purpose 0°C* to 100°C	992,76 €
TC120	Heating circulator digital, general purpose -25°C* to 120°C, pump	1.197,35 €
TX150	Heating circulator digital, advanced, programmable, -50°C* to 150°C, pump	1.484,18 €
TXF200	Heating circulator digital, advanced, programmable (10), -50°C* to 200°C, powerful multi-stage pump	1.945,02 €
T100T	Heating circulator digital, general purpose 0°C* to 100°C T clamp included	1.054,98 €
TC120T	Heating circulator digital, general purpose -25°C* to 120°C, pump T clamp included	1.260,62 €
TX150T	Heating circulator digital, advanced, programmable, -50°C* to 150°C, pump T clamp included	1.549,56 €

Ref.	Descripción	PVR (€)
TXF200T	Heating circulator digital, advanced, programmable (10), -50°C* to 200°C, powerful multi-stage pump T clamp included	2.016,73 €
T-CLAMP	N.B. T Clamp allows use of circulators with other tanks	130,00 €
	* Operation at or below ambient requires accessory cooling	
	<b>TANKS</b>	
	<b>PLASTIC</b>	
P5	Tank plastic 5 litres	421,20 €
P12	Tank plastic 12 litres	433,85 €
P18	Tank plastic 18 litres	472,87 €
	Stainless steel drain tap on 12,18, 26 & 38L models, bridge plate included	
ST5	Tank stainless steel 5 litres	472,87 €
ST12	Tank stainless steel 12 litres	672,18 €
ST18	Tank stainless steel 18 litres	754,44 €
ST26	Tank stainless steel 26 litres	826,15 €
ST38	Tank stainless steel 38 litres	1.304,91 €
	<b>ACCESSORIES FOR STIRRED BATHS</b>	
LabWise	Software for programming TX150/TXF200, GR150/GP200 includes USB & RS232 cable	121,27 €
	Bridge plates for use with stainless steel tanks	
T-BTS	Bridge plate replacement fits T Optima heating circulator models to ST5 tank	185,52 €
T-BTL	Bridge plate replacement fits T Optima heating circulator models to ST12, 18, 26 & 38 tanks	202,70 €
T-BSS	Bridge plate fits T Optima heating circulator models to S5 tank	185,52 €
T-BSL	Bridge plate fits T Optima heating circulator models to S12, 18, 26 & 38 tanks	202,70 €
T-BYWS	Bridge plate fits T Optima heating circulator models to Y6 & W6 tanks	202,70 €
T-BYWL	Bridge plate fits T Optima heating circulator models to Y14, 28 & 38 tanks also W14, 28 & 38 tanks	210,22 €
	Bridge plates for use with plastic tanks	
T-BPS	Bridge plate replacement fits T Optima heating circulator models to P5 tank	187,67 €
T-BPL	Bridge plate replacement fits T Optima heating circulator models to P12 & 18 tanks	201,63 €
	Lids	
STL12	Lid gabled stainless steel with hinges for ST12 bath	336,96 €
STL26	Lid gabled stainless steel with hinges for ST18 and ST26 baths	399,26 €
STL38	Lid gabled stainless steel with hinges for ST38 bath	565,74 €
STL5	Lid flat stainless steel no hinges for ST5 bath	135,04 €
PL5	Lid flat stainless steel no hinges for P5 bath	124,30 €
LST12	Lid pitched lift-off s/s for S12 and ST12 baths, recommended when bath is used constantly with water above 90°C	252,11 €
LST26	Lid pitched lift-off s/s for S18/S26, ST18/26 baths, recommended when bath is used constantly with water above 90°C	352,00 €
LST38	Lid pitched lift-off s/s for S38 and ST38 baths, recommended when bath is used constantly with water above 90°C	444,37 €
PL12	Lid plastic flat no hinges for P12 bath	112,48 €
PL18	Lid plastic flat no hinges for P18 bath	118,93 €
PS20	Polypropylene spheres (pack of 300)	126,19 €
	Test tube racks	
QR-13	Test tube rack for 5 litre baths including LT ecocool for 10 to 13mm tubes	129,41 €
QR-19	Test tube rack for 5 litre baths including LT ecocool for 16 to 19mm tubes	129,41 €
QR-24	Test tube rack for 5 litre baths including LT ecocool for 24mm tubes	129,41 €
QR-30	Test tube rack for 5 litre baths including LT ecocool for 30mm tubes	129,41 €
QR-SE	Test tube rack for 5 litre baths including LT ecocool for 0.5ml microcentrifuge tubes	129,41 €
QR-LE	Test tube rack for 5 litre baths including LT ecocool for 1.5ml microcentrifuge tubes	129,41 €
VR-13	Test tube rack for 12, 18, 26 and 38 litre baths for 10 to 13mm tubes	136,93 €
VR-19	Test tube rack for 12, 18, 26 and 38 litre baths for 16 to 19mm tubes	136,93 €
VR-24	Test tube rack for 12, 18, 26 and 38 litre baths for 24mm tubes	136,93 €
VR-30	Test tube rack for 12, 18, 26 and 38 litre baths for 30mm tubes	136,93 €
VR-SE	Test tube rack for 12, 18, 26 and 38 litre baths for 0.5ml microcentrifuge tubes	136,93 €

Ref.	Descripción	PVR (€)
VR-LE	Test tube rack for 12, 18, 26 and 38 litre baths for 1.5ml microcentrifuge tubes	136,93 €
	Raised shelves	
RS14	Raised shelves for ST12 baths	138,00 €
RS22	Raised shelves for ST18 baths	186,33 €
RS28	Raised shelves for ST26 baths	193,85 €
RS38	Raised shelves for ST38 baths	237,89 €
SY1	Draining siphon	52,48 €
	Accessory vertical turbine pumps - Please specify UK, Euro or Aus lead	
VTP1-FLST5	Vertical turbine pump fits ST5, 1000mbar pressure (120V please enquire)	486,26 €
VTP1-FLST12	Vertical turbine pump fits ST12, 1000mbar pressure (120V please enquire)	486,26 €
VTP1-FLST26	Vertical turbine pump fits ST18 & ST26, 1000mbar pressure (120V please enquire)	486,26 €
VTP2-FLST5	Vertical turbine pump fits ST5, 1650mbar pressure (No 120V)	535,67 €
VTP2-FLST12	Vertical turbine pump fits ST12, 1650mbar pressure (No 120V)	535,67 €
VTP2-FLST26	Vertical turbine pump fits ST18 & ST26, 1650mbar pressure (No 120V)	535,67 €
	Accessory cooling systems - Please specify UK, Euro, Aus or US lead	
C1G	Refrigerated immersion cooler 0 to 40°C	2.228,26 €
C2G	Refrigerated immersion cooler -15 to 40°C (not suitable for 5L or 12L tanks)	2.433,41 €
CW5	Heat exchange coil	210,22 €
	External temperature probe	
TXPEP	Plastic flexible temperature probe external for use with TX150, TXF200	220,70 €
TXSEP	Stainless steel temperature probe external for use with TX150, TXF200	226,07 €
	Pump connectors for Optima™ and LT ecocool™	
P-M6	Pump conn. plastic replacement inlet/outlet. Fits tubing 9mm inner dia. Temp range -50 to 200°C	69,26 €
P-M11	Pump conn. plastic replacement inlet/outlet. Fits tubing 15mm inner dia. Temp range -50 to 200°C	69,26 €
M-SR4	Pump conn. metal inlet/outlet, dual seal super rapid 4mm. Fits semi rigid tubing 4mm outer dia. T° range -20 to 100°C	204,59 €
M-SR6	Pump conn. metal inlet/outlet, dual seal super rapid 6mm. Fits semi rigid tubing 6mm outer dia. T° range -20 to 100°C	212,11 €
M-SR8	Pump conn. metal inlet/outlet, dual seal super rapid 8mm. Fits semi rigid tubing 8mm outer dia. T° range -20 to 100°C	212,11 €
M-HB7	Pump conn. metal inlet/outlet, hose barb 7mm. Fits flexible tubing 7mm inner dia. Temp range -40 to 120°C	204,59 €
M-HB9	Pump conn. metal inlet/outlet, hose barb 9mm. Fits flexible tubing 9mm inner dia. Temp range -40 to 120°C	204,59 €
M-HB12	Pump conn. metal inlet/outlet, hose barb 12mm. Fits flexible tubing 12mm inner dia. Temp range -40 to 120°C	204,59 €
M-UC	Pump inlet/outlet plate, metal 1/4" BSP/G1/4 female. Temp range -50 to 200°C	197,07 €
	Insulated hosing kits	
HOSE100	General purpose -40 to 100°C includes clips and connector for LT ecocool™ and Optima™ thermostats, 2 x 2m, 10mm ID Ø 14mm OD Ø can be cut to length re	157,33 €
HOSE200	High temperature Viton® -50 to 200°C includes clips and connector for LT ecocool™ and Optima™ thermostats 2 x 2m, 8mm ID Ø 11mm OD Ø can be cut to le	535,67 €
<b>LOW TEMPERATURE BATH CIRCULATOR SYSTEMS - Please specify UK, Euro, Aus or US lead</b>		
<b>ENERGY EFFICIENT LT REFRIGERATED BATH - 4 YEAR WARRANTY</b>		
LT ecocool 100	Energy efficient general purpose refrigerated heating circulating bath -20 to 100°C	3.467,78 €
LT ecocool 150	Energy efficient advanced refrigerated heating circulating bath -25 to 150°C	4.198,58 €
	LT ecocool 100 is available as 230V 60Hz, 230V 50Hz or 120V 60Hz, please specify	
<b>ACCESSORIES FOR LT ECOCOOL</b>		
	External temperature probe	
PEP	Plastic flexible temperature probe external for use with LT ecocool 150	221,78 €
SEP	Stainless steel temperature probe external for use with LT ecocool 150	216,41 €
	Vertical Turbine Pumps	
VTP1-LT	Vertical Turbine Pump for LT ecocool models 1000mb (120V please enquire)	371,33 €
VTP2-LT	Vertical Turbine Pump for LT ecocool models 1650mb (No 120V)	416,44 €
<b>LTC REFRIGERATED/HEATING CIRCULATING KITS</b>		

Ref.	Descripción	PVR (€)
LTC4	Refrigerated heating circulating bath kit with tubing and clips -30 to 100°C, 20L includes drain & relay (as per TX150-R4)	5.262,62 €
	<b>GENERAL PURPOSE REFRIGERATED BATH</b>	
TX100-R4	Refrigerated heating circulating bath 0 to 100°C, 20L, includes drain, relay	5.694,98 €
	<b>GENERAL PURPOSE REFRIGERATED BATH WITH PUMP</b>	
TC120-R4	Refrigerated heating circulating bath -25 to 100°C, 20L, includes drain, relay	5.954,40 €
	<b>ADVANCED REFRIGERATED BATH WITH POWERFUL MULTI-STAGE PUMP, USB, RS232 PROGRAMMABLE</b>	
TXF200-R4	Refrigerated heating circulating bath -30 to 100°C, 20L, includes drain, relay	6.670,44 €
TXF200-Chiller	Refrigerated heating circulating bath -47 to 100°C, 12L, includes drain, relay (No 120V)	A consultar
	<b>HEATING CIRCULATORS - Please specify UK, Euro, Aus or US lead</b>	
T100	Digital heating circulator, general purpose 0* to 100°C	992,76 €
TC120	Digital heating circulator, general purpose -25* to 120°C, pump	1.197,35 €
TX150	Digital heating circulator, advanced -50* to 150°C, pump	1.484,18 €
TXF200	Digital heating circulator, advanced, programmable, -50* to 200°C, powerful multi-stage pump	1.945,02 €
	* Operation at or below ambient requires cooling	
	<b>REFRIGERATION UNITS - Please specify UK, Euro, Aus or US lead</b>	
R4	Refrigeration unit minimum temperature -30°C, 20L, includes drain, relay	4.984,22 €
Chiller	Refrigeration unit minimum temperature -47°C, 12L, includes drain, relay (No 120V)	A consultar
	N.B. A heating circulator is required to achieve desired temperature	
	<b>ACCESSORIES FOR REFRIGERATED HEATING CIRCULATING BATHS</b>	
	Accessory vertical turbine pumps - Please specify UK, Euro or Aus lead	
VTP1-PLR123	Vertical turbine pump fits all R1, R2 & R3 units, 1000mbar pressure (120V please enquire)	369,00 €
VTP1-PLR4	Vertical turbine pump fits R4 unit, 1000mbar pressure (120V please enquire)	372,00 €
VTP1-PLR5	Vertical turbine pump fits R5 unit, 1000mbar pressure (No 120V)	322,00 €
VTP2-PLR123	Vertical turbine pump fits all R1, R2 & R3 units, 1650mbar pressure (No 120V)	414,00 €
VTP2-PLR4	Vertical turbine pump fits R4 unit, 1650mbar pressure (No 120V)	414,00 €
VTP2-PLR5	Vertical turbine pump fits R5 unit, 1650mbar pressure (No 120V)	381,00 €
	<b>Test tube racks</b>	
QR-13	Test tube rack for 5 litre baths including LT ecocool for 10 to 13mm tubes	129,41 €
QR-19	Test tube rack for 5 litre baths including LT ecocool for 16 to 19mm tubes	129,41 €
QR-24	Test tube rack for 5 litre baths including LT ecocool for 24mm tubes	129,41 €
QR-30	Test tube rack for 5 litre baths including LT ecocool for 30mm tubes	129,41 €
QR-SE	Test tube rack for 5 litre baths including LT ecocool for 0.5ml microcentrifuge tubes	129,41 €
QR-LE	Test tube rack for 5 litre baths including LT ecocool for 1.5ml microcentrifuge tubes	129,41 €
	<b>Labwise Software</b>	
LabWise	Software for programming TX150 & TXF200 and LT ecocool 150 including USB & RS232 cable	157,33 €
T-CIS	Communication Interface spec for Optima TX150 & TXF200 and LT ecocool 150 (NDA required, please contact Grant)	342,07 €
	<b>Bridge plates for use with refrigeration units</b>	
T-BR3	Bridge plate replacement fits T Optima heating circulator models to R1, R2 & R3	100,41 €
T-BR4	Bridge plate replacement fits T Optima heating circulator models to R4	145,00 €
T-BR5	Bridge plate replacement fits T Optima heating circulator models to R5	112,00 €
	<b>External temperature probe</b>	
TXPEP	Plastic flexible temperature probe external for use with TX150, TXF200	220,70 €

Ref.	Descripción	PVR (€)
TXSEP	Stainless steel temperature probe external for use with TX150, TXF200	226,07 €
<b>RECIRCULATING CHILLERS - Please specify UK, Euro, Aus lead (120V please enquire)</b>		
RC1400G	Recirculating chiller 1300W including standard pump, audible alarm and flow fail cut-out, -10 to 60°C	A consultar
RC3000G	Recirculating chiller 3000W including standard pump, audible alarm and flow fail cut-out, -10 to 60°C	A consultar
<b>ACCESSORIES FOR REFRIGERATED HEATING CIRCULATING BATHS</b>		
RC BYP	Bypass for recirculating chiller	256,15 €
RC PR	Pressure gauge for recirculating chiller	174,52 €
PRES	Priming reservoir for recirculating chiller	343,15 €
RC HF9	Pipe fitting pair recirculating chiller, for 9mm i.d. hose	127,26 €
RC HF12	Pipe fitting pair recirculating chiller, for 12mm i.d. hose	127,26 €
RC HF17	Pipe fitting pair recirculating chiller, for 17mm i.d. hose	127,26 €
<b>UNSTIRRED WATER BATHS - Please specify UK, Euro, Aus or US lead</b>		
<b>SUB AQUA PRO ADVANCED DIGITAL WATER BATHS</b>		
SAP2	Water bath, digital, 2L ambient +5 to 99°C, includes clear lid and base tray	944,25 €
SAP2S	Water bath, digital, 2L shallow ambient +5 to 99°C, includes clear lid and base tray	949,53 €
SAP5	Water bath, digital, 5L ambient +5 to 99°C, includes clear lid and base tray	984,33 €
SAP12	Water bath, digital, 12L ambient +5 to 99°C, includes clear lid, drain and base tray	1.063,42 €
SAP18	Water bath, digital, 18L ambient +5 to 99°C, includes clear lid, drain and base tray	1.173,09 €
SAP26	Water bath, digital, 26L ambient +5 to 99°C, includes clear lid, drain and base tray	1.214,22 €
SAP34	Water bath, digital, 34L ambient +5 to 99°C, includes ss lid, drain and base tray	1.794,22 €
SAPD	Water bath, digital, 5 & 12L dual ambient +5 to 99°C, includes clear lids, drains and base trays	1.656,07 €
<b>JB NOVA GENERAL PURPOSE DIGITAL WATER BATHS</b>		
JBN5	Water bath, digital, 5L ambient +5 to 95°C, includes clear lid and base tray	804,00 €
JBN12	Water bath, digital, 12L ambient +5 to 95°C, includes clear lid, drain and base tray	893,64 €
JBN18	Water bath, digital, 18L ambient +5 to 95°C, includes clear lid, drain and base tray	1.036,00 €
JBN26	Water bath, digital, 26L ambient +5 to 95°C, includes clear lid, drain and base tray	1.188,91 €
<b>JB ACADEMY BASIC DIGITAL WATER BATHS</b>		
JBA5	Water bath, digital, 5L ambient +5 to 95°C, includes base tray	719,64 €
JBA12	Water bath, digital, 12L ambient +5 to 95°C, includes base tray	793,45 €
JBA18	Water bath, digital, 18L ambient +5 to 95°C, includes base tray	920,00 €
<b>SBB AQUA PLUS BOILING BATHS</b>		
SBB AQUA 5 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 5L	1.099,27 €
SBB AQUA 12 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 12L	1.163,60 €
SBB AQUA 18 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 18L	1.265,89 €
SBB AQUA 26 PLUS	Boiling water bath with energy regulator and stainless steel tank, set to 100°C only, 26L	1.521,09 €
All SBB Aqua Plus boiling baths include a base tray and gabled polycarbonate lid		
<b>ACCESSORIES FOR UNSTIRRED WATER BATHS</b>		
Stainless steel test tube racks for SAP, JBN, JBA and SBB baths		
J2-10	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 10mm tubes	144,44 €
J2-13	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 13mm tubes	144,44 €
J2-16	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 16mm tubes	144,44 €
J2-19	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 19mm tubes	144,44 €
J2-25	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 25mm tubes	144,44 €
J2-30	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 30mm tubes	144,44 €
J2-SE	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 0.5ml microtubes	145,52 €
J2-LE	Test tube racks stainless steel for SAP, JBN, JBA and SBB baths for 1.5ml microtubes	144,44 €

Ref.	Descripción	PVR (€)
	<b>RAISED SHELVES</b>	
	Stainless steel raised shelves for SAP, JBN, JBA and SBB baths	
RS14H	Raised shelf stainless steel for SAP12, JBN12, JBA12 AND SBB AQUA 12 PLUS	168,07 €
RS18H	Raised shelf stainless steel for SAP18, JBN18, JBA18 and SBB AQUA 18 PLUS	191,70 €
RS28H	Raised shelf stainless steel for SAP26, JBN26 and SBB AQUA 26 PLUS	220,70 €
RS36H	Raised shelf stainless steel for SAP34	274,41 €
	N.B. there are no stainless steel raised shelves for the SAP5/2/2S or, JBN5, JBA5 or SBB AQUA 5 PLUS	
	<b>BASE TRAYS</b>	
	Stainless steel base trays for SAP, JBN, JBA and SBB baths	
SBT2	Base tray stainless steel for SAP2	120,81 €
SBT6	Base tray stainless steel for SAP2S, SAP5, JBN5, JBA5 and SBB AQUA 5 PLUS	126,19 €
SBT14	Base tray stainless steel for SAP12, JBN12, JBA12 and SBB AQUA 12 PLUS	120,81 €
SBT28	Base tray stainless steel for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS	126,19 €
SBT36	Base tray stainless steel for SAP34	126,19 €
	Polycarbonate base trays for SAP, JBN and JBA (replacement)	
AQBT2	Base tray polycarbonate for SAP2	67,11 €
AQBT5	Base tray polycarbonate for SAP2S, SAP5, JBN5 and JBA5	70,33 €
AQBT12	Base tray polycarbonate for SAP12, JBN12 and JBA12	73,56 €
AQBT26	Base tray polycarbonate for SAP18/26, JBN18/26 and JBA18	81,07 €
	<b>LIDS</b>	
	Stainless steel gabled lids for SAP, JBN, JBA and SBB baths	
LU6	Lid gabled stainless steel for SAP2S, SAP5, JBN5, JBA5 and SBB AQUA 5 PLUS.	228,48 €
LU14	Lid gabled stainless steel for SAP12, JBN12, JBA12, and SBB AQUA 12 PLUS.	245,67 €
LU28	Lid gabled stainless steel for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS.	268,22 €
LU36	Lid gabled stainless steel for SAP34	299,37 €
	N.B. there is no stainless steel gabled lid for the SAP2	
	N.B. for SAPD use 1 x LU6 and 1 x LU14	
	Stainless steel flat lids with ring sets for SAP, JBN & JBA baths	
LF6	Lid flat stainless steel with ring set for SAP2S/5, JBN5, JBA5 and SBB AQUA 5 PLUS. 2 ring sets	261,78 €
LF14	Lid flat stainless steel with ring set for SAP12, JBN12, JBA12 and SBB AQUA 12 PLUS. 4 ring sets	373,48 €
LF28	Lid flat stainless steel with ring set for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS. 6 ring sets	497,00 €
LF36	Lid flat stainless steel with ring set for SAP34. 8 rings sets	574,33 €
	N.B. there is no flat lid with ring set for the SAP2	
	N.B. for SAPD use 1 x LF6 and 1 x LF14	
	Polycarbonate gabled lids (clear) SAP, JBN and SBB baths (replacement) and JBA	
AQL2	Lid gabled polycarbonate clear for SAP2	110,07 €
AQL5	Lid gabled polycarbonate clear for SAP2S/5, JBN5, JBA5, and SBB AQUA 5 PLUS	125,11 €
AQL12	Lid gabled polycarbonate clear for SAP12, JBN12 and JBA12 and SBB AQUA 12 PLUS	144,44 €
AQL26	Lid gabled polycarbonate clear for SAP18/26, JBN18/26, JBA18 and SBB AQUA 18/26 PLUS	160,56 €
PS20	Polypropylene spheres (pack of 300) suitable for use with all unstirred baths	126,19 €
UWB-DS	Drain stopper, pack of 5, for use with SAP and JBN baths 12L and above	56,37 €
	N.B. Recommended when using heat transfer beads, to prevent beads entering drain hole	
	<b>SHAKING WATER BATHS, COMBINED ORBITAL/LINEAR AND LINEAR MOTION</b>	
	<b>AQUA PRO SHAKING WATER BATHS.</b>	
OLS26	Orbital/linear shaking water bath, digital, 26L, 0* to 99°C, includes clear lid and TU26 universal tray*	3.429,82 €
	* Operation at or below amb. requires accessory cooling	
LSB12	Linear shaking water bath, digital, 12L, ambient +5 to 99°C, includes clear lid and TU12 universal tray*	2.548,22 €
LSB18	Linear shaking water bath, digital, 18L, ambient +5 to 99°C, includes clear lid and TU18 universal tray*	2.854,04 €
	* tray included with orders received after May 1st	

Ref.	Descripción	PVR (€)
	<b>ACCESSORIES FOR AQUA PRO SHAKING WATER BATHS</b>	
	Trays	
TU12	Universal tray with adjustable/removable springs for LSB12	315,78 €
TU18	Universal tray with adjustable/removable springs for LSB18	333,82 €
TU26	Universal tray with adjustable/removable springs for OLS26	333,82 €
TS12	Test tube tray for LSB12, holds 3 x SR racks or can be used as plain tray	293,87 €
TS18	Test tube tray for LSB18, holds 5 x SR racks or can be used as plain tray	311,91 €
TS26	Test tube tray for OLS26, holds 5 x SR racks or can be used as plain tray	310,62 €
TF12	Flask tray for LSB12, compatible with SC flask clamps and SR racks	293,87 €
TF18	Flask tray for LSB18, compatible with SC flask clamps and SR racks	318,36 €
TF26	Flask tray for OLS26, compatible with SC flask clamps and SR racks	314,49 €
SBT12	Base tray, stainless steel, perforated for LSB12	134,78 €
SBT26	Base tray, stainless steel, perforated for OLS26/LSB18	134,78 €
	Racks	
SR-10	Test tube rack SR for 48 x 10mm tubes	132,79 €
SR-13	Test tube rack SR for 44 x 13mm tubes	132,79 €
SR-16	Test tube rack SR for 24 x 16mm tubes	132,79 €
SR-19	Test tube rack SR for 21 x 19mm tubes	132,79 €
SR-25	Test tube rack SR for 12 x 25mm tubes	132,79 €
SR-30	Test tube rack SR for 10 x 30mm tubes	132,79 €
SR-SE	Test tube rack SR for 119 x 0.5ml microtubes	132,79 €
SR-LE	Test tube rack SR for 48 x 1.5ml microtubes	132,79 €
	Spring clamps for flasks and deep well plate holder	
SC-25	Spring clamp SC for 25ml flask	56,11 €
SC-50	Spring clamp SC for 50ml flask	56,11 €
SC-100	Spring clamp SC for 100ml flask	83,95 €
SC-250	Spring clamp SC for 250ml flask	85,47 €
SC-500	Spring clamp SC for 500ml flask	85,47 €
SC-1000	Spring clamp SC for 1000ml flask	88,53 €
	Spare spring set	
SSK	Spare spring kit for use with universal tray (10 short and 6 long springs)	56,11 €
	Gabled lids	
LS200	Lid gabled stainless steel for OLS26 (with hole for cooling coil access)	269,30 €
LU14	Lid gabled stainless steel for LSB12	245,67 €
LU28	Lid gabled stainless steel for LSB18	268,22 €
AQL12	Replacement lid, gabled polycarbonate clear for LSB12	162,96 €
AQL26	Replacement lid, gabled polycarbonate clear for OLS26/LSB18	179,07 €
	Cooling systems	
CC26	Refrigerated immersion cooler for OLS26	2.540,84 €
CW26	Heat exchange coil for connection to water supply for OLS26	421,20 €
	<b>ULTRASONIC BATHS - includes a UK and Euro lead (No 120V)</b>	
	<b>XUB ULTRASONIC BATHS, DIGITAL</b>	
XUB5	Ultrasonic bath 4.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	1.762,58 €
XUB10	Ultrasonic bath 9.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	1.936,58 €
XUB12	Ultrasonic bath 12.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.061,02 €
XUB18	Ultrasonic bath 17.5L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.283,53 €
XUB25	Ultrasonic bath 25L digital, ambient + 5 to 70°C, inc. lid, s/s basket, SD Card, drain tubing and 1 bottle of M2 solution	2.639,96 €
	<b>XUBA ULTRASONIC BATHS, ANALOGUE</b>	
XUBA1	Ultrasonic bath 1.5L analogue, includes ABS lid, s. steel basket and 1 bottle of M2 solution	635,27 €

Ref.	Descripción	PVR (€)
XUBA3	Ultrasonic bath 2.5L analogue, ambient +5 to 70°C, includes ABS lid, s.steel basket and 1 bottle of M2 solution	1.067,64 €
	<b>ACCESSORIES FOR XUBA AND XUB ULTRASONIC BATHS</b>	
	Replacement lids	
XAL1	Lid replacement ABS for XUBA1	51,37 €
XAL3	Lid replacement ABS for XUBA3	59,66 €
XAL5	Lid replacement ABS for XUB5	62,58 €
XAL10	Lid replacement ABS for XUB10	71,74 €
XAL12	Lid replacement ABS for XUB12	71,74 €
XAL18	Lid replacement ABS for XUB18	80,89 €
XAL25	Lid replacement ABS for XUB25	87,00 €
	Replacement baskets	
XAB1	Basket replacement stainless steel for XUBA1	72,89 €
XAB3	Basket replacement stainless steel for XUBA3	89,49 €
XAB5	Basket replacement stainless steel for XUB5	96,16 €
XAB10	Basket replacement stainless steel for XUB10	123,63 €
XAB12	Basket replacement stainless steel for XUB12	150,80 €
XAB18	Basket replacement stainless steel for XUB18	174,00 €
XAB25	Basket replacement stainless steel for XUB25	188,18 €
M2 SOL	M2 solution for use with XUBA and XUB Ultrasonic baths (6 x 1 litre bottles)	188,18 €
	<b>DRY BLOCK HEATERS</b>	
	<b>DIGITAL DRY BLOCK HEATERS</b>	
QBD1	Dry block heater digital ambient +5 to 130°C holds 1 interchangeable block	888,36 €
QBD2	Dry block heater digital ambient +5 to 130°C holds 2 interchangeable blocks	1.076,07 €
QBD4	Dry block heater digital ambient +5 to 130°C holds 4 interchangeable blocks	1.310,18 €
	<b>HIGH PERFORMANCE DRY BLOCK HEATER</b>	
QBH2	Dry block heater digital ambient +5 to 200°C holds 2 interchangeable blocks	1.310,18 €
	<b>ACCESSORIES FOR QBD, QBH DRY BLOCK HEATERS</b>	
	Interchangeable blocks	
QB-0	Interchangeable block for QBD & QBH plain block	109,56 €
QB-10	Interchangeable block for QBD & QBH for 24 x Ø 10mm test tubes	146,93 €
QB-12	Interchangeable block for QBD & QBH for 24 x Ø 12mm test tubes	146,93 €
QB-13	Interchangeable block for QBD & QBH for 12 x Ø 13mm test tubes	146,93 €
QB-16	Interchangeable block for QBD & QBH for 12 x Ø 16mm test tubes	146,93 €
QB-17H	Interchangeable block for QBD & QBH extra deep block, for 10 x Ø 17mm Falcon tubes, holes 75mm deep	183,02 €
QB-18	Interchangeable block for QBD & QBH for 12 x Ø 18mm test tubes	146,93 €
QB-24	Interchangeable block for QBD & QBH for 5 x Ø 24mm tubes & disposable universal bottles	146,93 €
QB-50	Interchangeable block for QBD & QBH for 4 x Ø 29 mm 50ml non-skirted centrifuge tubes & glass universal bottles	146,93 €
QB-H	Interchangeable block for QBD & QBH for 56 x 0.2ml microtubes or 7 x PCR strips	146,93 €
QB-E0	Interchangeable block for QBD & QBH for 24 x 0.5ml microcentrifuge tubes	146,93 €
QB-E1	Interchangeable block for QBD & QBH for 24 x 1.5ml microcentrifuge tubes	146,93 €
QB-E2	Interchangeable block for QBD & QBH for 24 x 2.0ml microcentrifuge tubes	146,93 €
QB-E5	Interchangeable block for QBD & QBH for 12 x 5.0ml microcentrifuge tubes	146,93 €
QB-DN	Interchangeable block for QBD & QBH for 24 x Ø 11.13mm to Ø 6.1mm dolphin nose tubes	146,93 €
QDP-FL	Interchangeable block for 96-well plates, complete with lid; for use only in QBD2	441,96 €
QDP-H	Interchangeable block for 0.2ml tubes, strips, 96-well plates; for use only in QBD2	315,52 €
	External probes	
QBEP	External probe for QBD and QBH	103,11 €
QBEP-WM	External probe for QBD and QBH short-form	103,11 €



Ref.	Descripción	PVR (€)
	Safety cover	
QBL1	Safety cover transparent polycarbonate for QDB1	143,07 €
QBL2	Safety cover transparent polycarbonate for QBD2, QBH2	153,38 €
QBL4	Safety cover transparent polycarbonate for QBD4	163,69 €
	<b>HIGH TEMPERATURE DRY BLOCK HEATERS</b>	
BT5D-16	High temperature dry block heater fixed block digital, ambient +10°C to 400°C for 16mm test tubes	3.879,31 €
BT5D-26	High temperature dry block heater fixed block digital, ambient +10°C to 400°C for 26mm test tubes	3.958,50 €
	<b>INSPISSATOR FOR TUBERCULOSIS TESTING</b>	
TBT-T100IN	Inspissator for the production of tuberculosis culture medium	5.194,81 €
	Spare Parts for Inspissator	
T100IN	Inspissator spare thermostatic control unit	1.753,85 €
QIN	Inspissator spare quilt	236,49 €
BIN	Inspissator spare blanket	174,34 €
TB-BTSIN	Inspissator spare bridge plate, fits T100IN onto tank	191,74 €
	<b>AIR PURIFIER</b>	
AP360	ap360 Air Purifier, air flow 360m3/hr, 1 x HEPA 13 filter 2 x UVC Lamps	4.000,00 €

**ACEFE, S.A.**



**SEDE CENTRAL**

Calle Isaac Peral, 5  
Pol. Ind. Camí Ral  
08850 Gavà, España  
Tel.: +34 936-362-002  
acefesa@acefesa.com

**DELEGACIONES**

Cataluña Norte:  
Cataluña Sur:  
Centro y Sur:  
Levante:  
Noroeste:



Julio Mesa  
Cristian Gimó  
Manuel Mena  
Charo Ortín  
Francisco Gutiérrez



Tel.: 670-906-156  
Tel.: 617-486-038  
Tel.: 617-486-039  
Tel.: 670-906-508  
Tel.: 627-449-343



comercial3@acefesa.com  
comercial6@acefesa.com  
comercial5@acefesa.com  
comercial2@acefesa.com  
comercial7@acefesa.com